

# INFINITY SERIES 📼





Maximize your square footage!

# **Designed for Commercial Installations**

### Active Agua introduces the Infinity Tray series an array of premium ABS panels that work with standard 4' wide benches. These trays are available in 4' and 8' center lengths, creating a continuous grow space when interlocked to maximize your square footage. All 4' end caps include designated drain sections. Center panels are also available with a drain option.

#### **FEATURES**

- No arch lip allows you to maximize your inner and outer grow/work space
- 10%–15% thicker than other bench trays
- All panels are low profile at 2.5" in height







Other trays create wasted space between units



Recommended for use with our Rolling Bench System (AGT10001)



All corresponding panels nest perfectly, allowing you to create custom lengths to your needs





3D technology ensures that the molds are 100% accurate, resulting in consistent product quality

# Our products stand up to outside testing, and are used for research because they are known for reliability and accuracy.

#### **Fabrication Standards for Plastics**

At Hydrofarm, we closely monitor the quality and details of the fabrication process. The software we employ uses 3D technology to ensure that the molds are 100% accurate, resulting in consistent product quality. The use of computer-controlled milling machines enables us to produce customized, high-detail designs, and we also utilize laser-guided CNC trimming to achieve refined edges. Through vacuum thermoforming, our ABS plastic hydroponics products are given their characteristic shape and uniform thickness. Virgin capped sheet-forming provides color integrity and long life. Finally, customized palletization ensures ease of shipping and handling.

### **COMPARE:** Infinity Trays vs. Standard 4 x 8 Flood Trays in a 40 x 20 Grow Room


### INFINITY SERIES

**460** sq ft of tray growing area

VS.

384 sqft

of tray growing area with standard 4x8 flood trays



# Why choose premium resin ABS for your plastics?

### ABS (ACRYLONITRILE BUTADIENE STYRENE)

- · Chemical and heat resistant
- Stable and non-leaching
- 100% recyclable
- Stable through a broad range of temperatures with increased strength, rigidity, and chemical resistance

### VS.

#### OTHER PLASTICS

- Poor barrier to oxygen and water vapor and has a relatively low melting point
- Very slow to biodegrade and is therefore a focus of controversy among environmentalists
- Flammable















## INFINITY SERIES 📼

#### **Active Aqua Infinity Series Trays**

Multiple sizes are available to create your own custom setup.

| ITEM CODE | DESCRIPTION               | <b>OUTSIDE DIMENSIONS</b> | INSIDE DIMENSIONS           | VOL    | WT     |
|-----------|---------------------------|---------------------------|-----------------------------|--------|--------|
| AAIN44P   | Endcap, 4' x 4' Plus (+)  | 48" L x 48" W x 2.5" H    | 47.75" L x 47.5" W x 2.5" H | 25 gal | 11 lbs |
| AAIN44M   | Endcap, 4' x 4' Minus (–) | 48.75" L x 48" W x 2.5" H | 47.75" L x 47.5" W x 2.5" H | 25 gal | 11 lbs |
| AAIN44C   | Center, 4' x 4'           | 48.75" L x 48" W x 2.5" H | 48" L x 47.5" W x 2.5" H    | 25 gal | 11 lbs |
| AAIN84C   | Center, 8' x 4'           | 96.75" L x 48" W x 2.5" H | 96" L x 47.5" W x 2.5" H    | 50 gal | 20 lbs |
| AAIN84D   | Center w/Drain, 8' x 4'   | 96.75" L x 48" W x 2.5" H | 96" L x 47.5" W x 2.5" H    | 50 gal | 20 lbs |

#### **LOCTITE** Easy application, watertight seal

LOCTITE® 5510 is an all-in-one adhesive and sealant for dry and wet surfaces. Its high flexibility formula allows you to remove and reattach panels. It is UV-resistant, non-yellowing, and contains no solvents, odors, or VOCs. One tube = 4 connections.

| ITEM CODE | DESCRIPTION                                   |
|-----------|---|
| RSH5510B  | Loctite 5510 300ML Black Flextec IDH# 1560557 |
| RSH5510W  | Loctite 5510 300ML White Flextec IDH# 1562042 |





# INFINITY SERIES MAXIMIZE YOUR SQUARE FOOTAGE!



# INFINITY SERIES 📼

### **MAXIMIZE YOUR SQUARE FOOTAGE!**

