

Nutrient Feed Chart

For recirculating systems:

Change nutrient solution every 7 days and water with fresh water once per week.

For soil/hotmix mediums:

Nutrient dilution should be mixed at **HALF** strength from recommended feed chart.

For drain to waste:

Water with fresh water once per week, allow 10% minimum and 25% maximum run off.

WEEK	VEG				BLOOM							
	1	2	3	4	5	6	7	8	9	10	11	12
Root Igniter™	3ml	4ml	5ml	5ml	5ml	5ml	5ml	-	-	-	-	FLUSH
Base Nutrient A™	3ml	4ml	5ml	5ml	7ml	7ml	8ml	8ml	7ml	5ml	3ml	
Base Nutrient B™	3ml	4ml	5ml	5ml	7ml	7ml	8ml	8ml	7ml	5ml	3ml	
Root Tonic C™	2ml	2ml	2ml	2ml	2ml	2ml	2ml	2ml	-	-	-	
Resin D™	-	-	-	-	-	-	-	3ml	3ml	5ml	5ml	

TIPS/TRICKS

- Recommended feeding schedule, adjust as needed
- Amounts are measured in milliliters per gallon of water
- Dilute nutrients before mixing with other formulas. Wash measuring cup thoroughly between nutrients
- Optimal nutrient solution temperature is 65° F (18° C)
- Optimal water pH range before adding nutrients is 5.8 - 6.3
- Keep mixed nutrient solutions aerated

PROPAGATION		Clone machines	Hand watering mother plants
Root Igniter™	ml/gallon	2ml	3ml
Base Nutrient A™		2ml	3ml
Base Nutrient B™		2ml	3ml
Root Tonic C™		-	2ml
Resin D™		-	-



For customized feeding directions, download the Elite Nutrients app!

info@elitegardenwholesale.com
www.elitegardenwholesale.com
1-844-51-ELITE (35483)