

SECTION 1: IDENTIFICATION OF THE MIXTURE AND OF THE COMPANY				
Product Identifier	GROTEK PRO-SILICATE 0-0-4			
Product Use	Plant Fertilizer			
Use restrictions	Do not use for pur	o not use for purposes other than those listed on the product label		
	Company Name	Greenstar Plant Products		
Manufacturer	Address	9430-198 <sup>th</sup> Street, Langley BC Canada V1M 3C8		
Information	Phone Number	+1-604-882-7699		
	Email	info@getgreenstar.com		
Emergency Phone Number		CHEMTREC 1-800-424-9300 / +1 703-527-3887 (24/7, 365 days/year)		
SECTION 2: HAZARDS IDE	ENTIFICATION			
	G	HS CLASSIFICATION	ON	
HazCom 2012 GHS	Eye damage / Eye irritation Category 1 Skin irritation Category 2			
WHMIS 2015		Eye damage / Eye irritation Category 1 Skin irritation Category 2		
HAZARD SYMBOL & SIGNAL WORD	HAZARD S	TATEMENTS	PRECAUTIONARY STATEMENTS	
DANGER	H314: Causes serious eye damage H315: Causes skin irritation		P280: Wear protective gloves and eye protection / face protection P264: Wash hands and exposed skin thoroughly after handling P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a doctor P302+352: IF ON SKIN: Wash with plenty of water. P332+313: If skin irritation occurs, get medical advice / attention. P362+364: Take off contaminated clothing and wash it before reuse	

### **SECTION 3: HAZARDOUS INGREDIENTS**

CAS#	Substance name	Percent
1312-76-1	Potassium silicate solution	30%
7447-40-7	Potassium chloride	1.5%

To the current knowledge of the supplier, this product contains no components or impurities, in the concentrations applicable, that are classified as hazardous to health or the environment or influence the classification of this product



amaging and irritating effects on eyes and skin may be sensation of pain  estream of water for a minimum for 15 minutes. if present and easy to do so after 5 minutes. Continue nedical attention  er and rinse with plenty of clean water. If irritation dvice/attention  dvice/attention  ir. Seek medical attention. Effects may be delayed
if present and easy to do so after 5 minutes. Continue nedical attention  er and rinse with plenty of clean water. If irritation dvice/attention
if present and easy to do so after 5 minutes. Continue nedical attention  er and rinse with plenty of clean water. If irritation dvice/attention
if present and easy to do so after 5 minutes. Continue nedical attention  er and rinse with plenty of clean water. If irritation dvice/attention
dvice/attention
ir. Seek medical attention. Effects may be delayed
NDUCE VOMITING. If vomiting occurs, lean forward breathing in vomit. If conscious and alert, wash out 00 ml of water to drink. Immediately call a POISON
elayed
ects may be delayed and occur without the sensation of may cause irritation to the mouth, esophagus and
I treatment needed
combustion.
ent suitable for the surrounding fire.
sium, and silicon, hydrogen chloride and/or chlorine and irritating fumes and gases may be formed.
apparatus and full protective clothing should be worn res.



Special firefighting procedures	In the event of fire, use water spray to cool closed containers and knock-down toxic gases			
SECTION 6: ACCIDENTAL REAL	LEASE MEASURES			
SPILL & LEAK PROCEDURES	SPILLED MATERIAL IS VERY SLIPPERY. Wear personal protection equipment outlined in SECTION 8. Ventilate area. Adsorb spill then shovel or sweep spilled material into dry labeled containers for disposal. Avoid the generation of mists. Flush area with water after clean-up.			
	Do not allow product or rinsing water to enter storm sewers, sanitary sewers, groundwater or soil.			
SECTION 7: HANDLING AND ST	ORAGE			
Precautions for safe handling	Avoid contact with eyes, skin and clothing. Wear personal protection equipmer outlined in SECTION 8 when handling. Avoid the generation of mists. Do not use with incompatible materials (SECTION 10). Have eyewash station and shower readily available. Keep container closed when not in use. Clean up spills promptly			
	Store in a cool, dry, well ve copper, brass, zinc or galve	entilated area. Do not store in aluminum, fiberglass, anized containers.		
Conditions for safe storage, including incompatibilities	Avoid strong oxidizers. Lewis or mineral acids. Product may gel and generate heat when mixed with acid. May react with ammonium salts resulting in evolution of ammonia gas. Flammable hydrogen gas may be produced on contact with aluminum, tin, lead, and zinc.			
Environmental precautions		This product is acutely toxic to aquatic life due to its low pH. Do not allow product to enter storm sewers, sanitary sewers, groundwater or soil.		
SECTION 8: EXPOSURE CONTR	ROLS / PERSONAL PROTEC	TION		
Control parameters				
Occupational exposure limits		exposure limit of 2 mg / m2 (15 min TWA) is with potassium hydroxide		
Recommended monitoring procedures	Monitor workplace air quality to determine the effectiveness of the ventilation or other control measures and / or the necessity to use respiratory protective equipment			
Engineering controls	Provide adequate local / general exhaust ventilation			
Personal protection equipment				
Eye / Face Protection	chemical safety goggles or	face shield when there is a potential for eye contact		
Skin protection	Hand protection	Wear chemical gloves - Nitrile, latex or PVC		
	Body protection	Wear long sleeved shirt and pants or coveralls when handling this product		



Respiratory protection		NIOSH approved respirator equipped with mist / fume cartridges when occupational limits are exceeded				
Hygiene measures		Wash hands after handling, before eating, smoking and using the toilet and at the end of the work day. Ensure that eyewash stations and safety showers are close to the workstation area				
Environmental exposure controls		Do not allow product to enter storm sewers, sanitary sewers, groundwater or soil.				
SECTION 9: PHY	SICAL AND CHE	MICAL PROPERTIES				
Physical state	Liquid	Colour	NAV	Odour	NAV	
рН	11.4	Density	NAV	Solubility in water	Soluble	
Specific gravity	NAV	Melting point	NAV	Decomposition temperature	NAV	
Flammable?	Not flammable	Boiling point	NAV	Viscosity	NAV	
SECTION 10: STA	ABILITY AND REA	ACTIVITY				
Reactivity		Reacts with aluminum, zinc, tin and their alloys to create hydrogen gas which may form an explosive mixture with air. May react violently on contact with acids. Reacts with sugar residues to form carbon monoxide				
Chemical stability		Stable under normal conditions of use and storage				
Conditions to avoid		Do not mix with acids or ammonia salts. Avoid the generation of mists				
Incompatibility		See Reactivity section				
Hazardous decomposition products		Oxides of carbon, potassium, and silicon, hydrogen chloride and/or chlorine gases, and other toxic and irritating fumes and gases may be formed.				
SECTION 11: TO	XICOLOGICAL IN	FORMATION				
Information on To	oxicological effe	cts				
Acute Toxicity		Product is not acutely toxic				
Irritation/ Corrosion	n	Corrosive to eyes and irritating to skin, digestive and respiratory tracts. Effects are due to the high pH of the product				
Sensitization		Does not meet criteria				
Carcinogenicity		Ingredients not listed as carcinogens by ACGIH, IARC, or NTP				
Mutagenicity		NAV				
Reproductive toxic	city	NAV				
Repeated dose to	xicity	NAV				



### **GROTEK PRO-SILICATE 0-0-4**

#### **SECTION 12: ECOLOGICAL INFORMATION**

**Potassium Silicate:** The Ecotoxicity of this product has not been tested. The following data is reported for chemically similar sodium silicates on a 100% solids basis: 96 hour median tolerance:

- Fish (Gambusia affnis), 2320 ppm
- Water fleas (Daphnia magna), 247 ppm
- Snail eggs (Lymnea), 632 ppm
- Amphipoda, 160 ppm

Environmental Fate: not persistent in aquatic systems. High pH acutely toxic to aquatic life. Does not bioaccumulate or bioconcentrate up the food chain

#### **Potassium Chloride:**

Not subject to further degradation processes in the environment. In soil, transport / leaching of potassium and chloride is affected by type of soil, pH and organic matter.

 $LC_{50};\ Species:\ Daphnia\ magna\ (Water\ flea);\ Conditions:\ freshwater;\ static;\ Concentration:\ 29\ mg/L\ for\ 96\ hr\ /total$ 

LC<sub>50</sub>; Species: Oncorhynchus mykiss (Rainbow trout, donaldson trout, wt 0.8-1.2 g); Conditions: freshwater; static;

Concentration: 1610 mg/L (95% confidence limit: 1223 - 2119 m/L) for 48 hr /total

LC<sub>50</sub>; Species: Gambusia affinis (Western mosquitofish, female); Conditions: freshwater; static; Concentration: 435 mg/L for 96 hr /total

Bioaccumulation	Not applicable - inorganic product	
Other adverse effects	The high pH of this material can be acutely toxic to the aquatic environment	

#### **SECTION 13: DISPOSAL CONSIDERATIONS**

Dispose of this product and / or its container in accordance with Federal, state, provincial, and local regulations. Do not allow product to enter sewers or the environment.

#### **SECTION 14: TRANSPORT INFORMATION**

SHIPPING	TDG	Not a dangerous good for transport
	DOT	Not a dangerous good for transport

#### **SECTION 15: REGULATORY INFORMATION**

This product has been classified in accordance with WHMIS 2015 and OSHA HazCom 2012

DSL: all components of this product are on Canada's DSL list

TSCA: all components of this product are on US EPA's TSCA Chemical Substances Inventory

#### **SECTION 16: OTHER INFORMATION**

As of the date of this document, the foregoing information is believed to be accurate and is provided in good faith to comply with applicable laws. However, no warranty or representation of law or fact, with respect to such Information is intended or given

Version 2, Print date: December 11th, 2017