



FASTFIT®
high quality light & tray stands

COMMERCIAL GRADE 4' X 8' ROLLING BENCH TRAY STAND

Part #706113




ASSEMBLY INSTRUCTIONS


Please read through these instructions before you start the installation process. The illustrations in the manual are for illustration purposes only. Your unit may differ slightly.

PARTS

EXPANDED VIEW TABLE TOP



BASE



Tools required:

- Phillips Screwdriver
- Drill
- $\frac{3}{8}$ " Concrete anchor bit
- Hammer
- Wrench



MATERIALS LIST


| BASE ASSEMBLY | | |
|---------------|------------------------------|-----|
| PART | DESCRIPTION | QTY |
| A | Base feet | 6 |
| B | Legs | 6 |
| C | Base end rail | 2 |
| D | Base side rail | 2 |
| E | Base side rail w/center stop | 2 |
| F | Corner bracket support | 4 |
| G | Center bracket support | 2 |
| H | Support bar | 4 |
| | Screw $\frac{3}{8}$ " | 6 |
| | Screw $1\frac{1}{4}$ " | 12 |
| | Concrete anchor bolt | 6 |

| TABLE TOP ASSEMBLY | | |
|--------------------|---------------------------------|-----|
| PART | DESCRIPTION | QTY |
| AA | Table top 8' side rail | 2 |
| BB | Table top support rail | 4 |
| CC | Table top 4' end rail w/guide | 2 |
| DD | Corner bracket | 4 |
| EE | Side tray support | 6 |
| FF | Pole | 2 |
| *GG | Table connector support bracket | 2 |
| | Screw $\frac{3}{8}$ " | 36 |

* Optional feature when connecting multiple tables.

ASSEMBLY

BASE




1

Using a screwdriver, attach BASE FEET [A] using a 3/8" screw into LEGS [B]. Repeat this step to create six legs.


2

Insert LEGS [B] to
BASE END RAIL [C].
Repeat to create both ends.




3

Attach BASE SIDE RAIL [D]
to the LEG [B]. Repeat for
both sides.



NOTE: Position BASE FEET [A] with flat portion to the inside for single tables. If connecting multiple benches see step 14 for leg position.





4

Insert LEG (B) into BASE SIDE RAIL (D). Next attach BASE SIDE RAIL WITH CENTER STOP (E) to LEG (B). Repeat for both sides.

5

Using 1 - 1/4" screws, install CORNER BRACKET SUPPORTS (F) in each corner and a CENTER BRACKET SUPPORT (G) to each mid-span.




6

Lay the SUPPORT BARS (H) across the base.

TABLE TOP

7

With 3/8" screws, attach the TABLE TOP SUPPORT RAILS (BB) to the TABLE TOP 8' SIDE RAILS (AA). Repeat for all four rails.




CC

DD

AA

8


Using included 3/8" screws attach CORNER BRACKET (DD) to the TABLE TOP 4' END RAIL W/GUIDE (CC) and the TABLE TOP 8' SIDE RAILS (AA). Repeat steps on all 4 corners.




Lift

9


Angle the fully assembled table top so that the TABLE TOP 4' END RAIL GUIDE (CC) slides under the TABLE TOP END RAIL (C).






10

Using 3/8" screws attach SIDE TRAY SUPPORTS (EE).



11

Gently pick up the assembled table top and slide both POLES (FF) underneath. Evenly space poles underneath. Make sure the tapered ends are on the same side.




12

This table is self-leveling. Roll the table to one side. Return table to center.

13

Secure rolling bench to slab using included **CONCRETE ANCHOR BOLTS**.



Additional concrete anchor bolts can be purchased through a hardware store.



OPTIONAL

14

These units can be expanded. Each side of the pole has a tapered end which allows multiple benches to be connected. Position feet of each leg with a flat side facing out to ensure snug fit.



15

Remove outside screws only of **CORNER BRACKETS (DD)**. Add **TABLE CONNECTOR SUPPORT BRACKET (GG)** using the existing 3/8" screws provided with part [GG].

THANK YOU FOR PURCHASING FAST FIT®

**LOOK FOR FAST FIT® TRAY STANDS,
ACCESSORIES AND OTHER GREAT PRODUCTS
AT A DEALER NEAR YOU.**



FASTFIT®
high quality light & tray stands

**Visit FastFitStands.com for more information
and a complete line of products.**

Exclusively distributed by:



Sunlight Supply®, Inc.

www.SunlightSupply.com