

ferti·lome®

WEED FREE ZONE

Ready To Use

• Rain-fast in as little as 3 hours • Visible results in just 24 hours
• Proven cool-weather performance
• For home lawns only

TRIMEC® is a registered trademark of PBI/Gordon Corporation

KEEP OUT OF REACH OF CHILDREN

CAUTION

See attached booklet for complete Precautionary Statements and Directions for Use, including Storage and Disposal and First Aid.

ACTIVE INGREDIENTS:

MCPA, 2-ethylhexyl ester	0.3370%
Mecoprop-p acid	0.0660%
Dicamba acid	0.0180%
Carfentrazone-ethyl	0.0023%
OTHER INGREDIENTS:	99.5767%
TOTAL:	100.0000%

THIS PRODUCT CONTAINS: 2-methyl-4-chlorophenoxyacetic acid equivalent, 0.2160%

513532F

NET CONTENTS: ONE GALLON (128 FL. OZS. / 3.785 LITERS)

PEEL BACK BOOK HERE

ferti•lome® Weed Free Zone Ready-To-Use

READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Causes moderate eye irritation. Harmful if absorbed through the skin. Avoid contact with eyes, skin, or clothing. Harmful if swallowed. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

FIRST AID	
If In Eyes:	• Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
If On Skin or On Clothing:	• Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
If Swallowed:	• Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to by a poison control center or doctor. • Do not give anything by mouth to an unconscious person.
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-877-800-5556 for emergency medical treatment information.	

In the event of a medical or chemical emergency, contact ChemTel Inc. **North America 1-800-255-3924**

ENVIRONMENTAL HAZARDS

This pesticide may adversely affect non-target plants. Do not apply directly to water. Do not contaminate water when disposing of equipment wash water or rinsate. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. Runoff of this product will be reduced by avoiding application when rainfall is forecasted to occur within 48 hours.

Manufactured By:
VPG Voluntary Purchasing Groups, Inc.™
230 FM 87 • Bonham, Texas 75418
EPA Reg. No. 2217-865-7401
EPA Est. No. 7401-TX-01
Product Questions? 855-270-4776

7 32221 13532 1

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Use Restrictions:

- Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application. Do not allow people or pets to enter the treated area until sprays have dried.
- Not for use on turf being grown for sale or other commercial use on sod, or for commercial seed production, or for research purposes.
- Do not apply this product to Bentgrass, Carpetgrass, Dichondra, legumes and lawns where desirable clovers are present.
- Do not apply to 'Floratam' St. Augustinegrass grown in Florida.
- Do not allow spray to contact vegetables, flowers or ornamentals as injury may result.
- Do not apply more than 1.9 gallons of product per 1,000 sq. ft. per year. (1.5 lb a.i. MCPA per acre per year)
- Do not apply more than 2 applications per year with a minimum retreatment interval of 21 days.
- Do not apply as a fine mist because of potential for injury to desirable plants.
- Do not apply directly to or near water, storm drains, gutters, sewers, or drainage ditches. Do not apply within 25 feet of rivers, fish ponds, lakes, streams, reservoirs, marshes, estuaries, bays, and oceans. Do not apply when windy. To prevent product run-off, do not over water the treated area(s) to the point of runoff or apply when raining or when rain is expected that day.

PRODUCT FACTS:
ferti•lome® WEED FREE ZONE Ready-To-Use contains four active ingredients including carfentrazone-ethyl that broaden the spectrum of weed control.

ferti•lome® WEED FREE ZONE Ready-To-Use offers these advantages:

- Excellent postemergent activity with proven performance for broadleaf weed control in turfgrass.
- Superior cool weather performance.
- Rapid and effective weed control for common and troublesome weed species in Turfgrass, e.g., Spurge, Pennywort (Dollarweed), Dandelion, and White Clover.
- Injury to weeds can be noticed within hours of application and plant death can occur within 7 - 14 days.

WHERE TO USE

On Lawns: Use to spot treat broadleaf weeds commonly found in cool season and warm season grasses such as:

Kentucky Bluegrass	Common Bermudagrass	Hybrid Bermudagrass
Perennial Ryegrass	Mixtures of cool season species	Red or Fine Leaf Fescues
Tall Fescue	St. Augustinegrass (excluding 'Floratam')	Zoysiagrass

WHEN TO APPLY

For best results, treat weeds in the spring and the fall when weeds are actively growing. However, this product is effective any time during the growing season.

- Do not apply when air temperatures are above 85°F as lawn injury can occur.
- Hard-to-kill weeds may require a repeat application in 3 weeks.
- Do not water lawn within 12 hours of application. If rainfall occurs within 12 hours after application, retreatment may be necessary.
- Do not apply to newly seeded lawns until after the second mowing.
- Delay application to newly sodded, plugged, or sprigged lawns until new grass has been mowed four times.
- Treated areas may be reseeded 2 weeks after application.
- Applications to dormant Bermudagrass, Zoysiagrass, and St. Augustinegrass may be used to control actively growing broadleaf weeds.

HOW TO USE

ferti•lome® WEED FREE ZONE Ready-To-Use is ready-to-use and is applied directly from the container fitted with the trigger sprayer. Shake the container well. Direct the spray to the target weeds to provide uniform coverage of the upper leaf surfaces. Apply to the point of runoff only. Excessive spraying can injure lawns.

BROADLEAF WEEDS CONTROLLED

ferti•lome® WEED FREE ZONE Ready-To-Use will control or suppress the following broadleaf weeds:

BROADLEAF WEEDS				
Annual yellow sweetclover	Broomweed	Common mullein	Fleabane, hairy	Mallow
Aster	Burclover	Compassplant,	Fleabane, rough	Mallow, common
Aster, white prairie	Burdock	Creeping Jenny (Creeping Charlie)	Florida pusley	Matchweed
Aster, heath	Burweed	Cudweed,	Frenchweed	Mexicanweed
Aster, wild	Buttercup	Cudweed, purple	Galinsoga	Morningglory
Austrian fieldcress	Buttercup, bulbous	Daisy, English	Galinsoga, smallflower	Morningglory, woolly
Bedstraw	Buttercup, creeping	Daisy, oxeye	Goathead	Mugwort,
Bedstraw, catchweed	Carolina geranium	Dandelion	Goldenrod	Mustard
Bedstraw, pineywoods	Carpetweed	Dayflower	Ground ivy	Mustard, black
Beggarticks	Catnip	Dichondra	Groundsel	Mustard, hedge
Beggarweed, creeping	Chickweed, common	Dock	Gumweed	Mustard, tansy
Betony, Florida	Chickweed, mouseear	Dock, broadleaf	Hawkweed	Mustard, tumble
Bindweed	Chicory	Dock, curly	Hawkweed, orange	Mustard, white
Bindweed, field	Cinquefoil	Dock, smooth	Healall	Mustard, wild
Bindweed, hedge	Cinquefoil rough	Dogbane	Heartleaf drymary	Nettle
Bitter wintercress	Clover	Dogfennel	Hemp	Nettle, bull
Bittercress, hairy	Clover, crimson	Dollarweed	Henbit	Nettle, burning
Bitterweed	Clover, hop	Elderberry	Hoary cress	Nettle, dead
Black medic	Clover, red	False dandelion (*spotted catsear & common catsear)	Innocence (Blue-eyed Mary)	Nettle, horse
Black-eyed Susan	Clover, strawberry		Jimsonweed	Nettle, stinging
Bloodflower milkweed	Clover, sweet		Knawel	Nettle, tall
Blue lettuce	Clover, white	Falseflax	Knotweed, prostrate	Old world diamond flower
Brassbuttons	Cockle	Fiddleneck	Kochia	Oxalis (*yellow woodsorrel & creeping wood sorrel)
Bristly oxtongue	Cocklebur	Filaree, redstem	Lambsquarters	
	Cocklebur, Oriental	Filaree, whitestem	Lespedeza	
	Cocklebur, spiny	Fleabane, daisy	Lespedeza, common	

BROADLEAF WEEDS *(Continued)*				
Parsley-piert	Plantain, bracted	Shepherd's purse	Trailing crownvetch	Wild carrot
Parsnip	Plantain, broadleaf	Sowthistle	Velvetleaf	Wild four-o'clock
Pearlwort	Plantain, buckhorn	Sowthistle, spiny	Venice mallow	Wild garlic
Pennsylvania smartweed	Plantain, hoary	Spanish needles	Veronica (*corn speedwell)	Wild geranium
Pennycress	Plantain, narrowleaf	Spiny amaranth	Vervain, blue	Wild lettuce
Pennywort (*dollarweed)	Plantain, slender	Spurge, prostrate	Vervain, hoary	Wild marigold
Peppergrass (pepperweed)	Plantain, woolly	Spurge, spotted	Vervain, prostrate	Wild onion
Pigweed	Poison ivy	Spurweed	Vervain, tall	Wild parsnip
Pigweed, prostrate	Poison oak	Strawberry, India mock	Vetch, bird	Wild radish
Pigweed, redroot	Pokeweed	Sunflower, false	Vetch, milk	Wild rape
Pigweed, Russian	Poorjoe	Sunflower, prairie	Vetch, narrowleaf	Wild strawberry
Pigweed, smooth	Prickly lettuce	Tansy ragwort	Vetch, wild	Wild sweet potato
Pigweed, tumble	Prickly sida	Tanweed	Virginia buttonweed	Wild violet
Pineappleweed	Puncturevine	Thistle	Virginia creeper	Woolly croton
Plains coreopsis (tickseed)	Purslane	Thistle, blessed	Virginia pepperweed	Wormseed
Plantain	Purslane, common	Thistle, bull	Water pennywort	Yarrow
Plantain, blackseed	Ragweed	Thistle, Canada	Wavyleaf bullthistle	Yellow rocket
	Red sorrel (*sheep sorrel)	Thistle, musk	Western clematis	Yellowflower pepperweed
	Redweed	Thistle, Russian	Western salsify	
	Scarlet pimpernel	Thistle, Scotch	Wild buckwheat	

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

PESTICIDE STORAGE: Keep from freezing. Store in original container in an area inaccessible to children and pets.

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

LIMITED WARRANTY AND DISCLAIMER

FOR USE ONLY AS DIRECTED.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY EXPRESSLY DISCLAIMED. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, IN NO CASE SHALL THE MANUFACTURER BE LIABLE FOR INCIDENTAL, CONSEQUENTIAL, OR SPECIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. If these terms are not acceptable, return this product unopened immediately to the point of purchase, and the purchase price will be refunded in full. The terms of this LIMITED WARRANTY AND DISCLAIMER cannot be varied by any written or verbal statements or agreements at the point of sale or elsewhere.

Manufactured By:

VPG™ Voluntary Purchasing Groups, Inc.

230 FM 87
BONHAM, TEXAS 75418
EPA Reg. No. 2217-865-7401
EPA Est. No. 7401-TX-01
Product Questions? 855-270-4776

513532B

7 32221 13532 1